

**To:** Patel, Manojkumar[patel.manojkumar@epa.gov]  
**Cc:** Letuchy, Alexandra[letuchy.alexandra@epa.gov]  
**From:** Geoff Westphal  
**Sent:** Thur 10/19/2017 8:55:58 PM  
**Subject:** Re: CLCM St. Francis Source Test Report - Update

Hi Manoj-

It turns out processing the data from the lab has been more difficult than our testing group had anticipated. Any issue with us having until next Friday (27th) for our submittal instead of the 23rd? Please let me know as soon as you can so we can plan accordingly. I'm sorry for having to ask for a second extension of this deadline. Thanks!

**Geoffrey Westphal | EHS Manager – North America | Greif | North America**  
366 Greif Parkway | Delaware, Ohio 43015 USA | O: 1+ (740) 657 6616 | M: 1+ (614) 318 3866  
[www.greif.com](http://www.greif.com)

## PACKAGING SUCCESS **TOGETHER**

On Oct 13, 2017, at 10:14 AM, Patel, Manojkumar <[patel.manojkumar@epa.gov](mailto:patel.manojkumar@epa.gov)> wrote:

*Notice: This message originated outside of the Organization. Please use caution when opening attachments, clicking links or responding to requests for information.*

Geoff,

We don't see any issue for your submitting a report by October 23, 2017. Thanks.

Manoj P. Patel, Environmental Engineer

Air Enforcement and Compliance Assurance Branch (MI/WI)

Environmental Protection Agency, Region 5

(312)353-3565 Office

[Patel.manojkumar@epa.gov](mailto:Patel.manojkumar@epa.gov)

**From:** Geoff Westphal [<mailto:Geoff.Westphal@greif.com>]  
**Sent:** Friday, October 13, 2017 9:10 AM  
**To:** Patel, Manojkumar <[patel.manojkumar@epa.gov](mailto:patel.manojkumar@epa.gov)>; Letuchy, Alexandra <[letuchy.alexandra@epa.gov](mailto:letuchy.alexandra@epa.gov)>  
**Subject:** RE: CLCM St. Francis Source Test Report - Update

Hi-

I am following up on this question. Please let me know if the revised timeline is acceptable. If it's not, I will need to do quite a few things to try to meet the original deadline. The sooner you can provide confirmation one way or the other, the better for us – thanks!

**Geoffrey Westphal | EHS Manager – North America | Greif | North America**  
366 Greif Parkway | Delaware, Ohio 43015 USA | O: 1+ (740) 657 6616 | M: 1+ (614) 318 3866  
[www.greif.com](http://www.greif.com)

PACKAGING SUCCESS **TOGETHER**

**From:** Geoff Westphal  
**Sent:** Monday, October 09, 2017 4:23 PM  
**To:** Patel, Manojkumar ([patel.manojkumar@epa.gov](mailto:patel.manojkumar@epa.gov)); Letuchy, Alexandra ([letuchy.alexandra@epa.gov](mailto:letuchy.alexandra@epa.gov))  
**Subject:** CLCM St. Francis Source Test Report - Update

Hi Manoj/Sasha-

It turns out we will not be receiving the lab data for the TO-15 analysis conducted during the September 19<sup>th</sup> stack test at our St. Francis location until October 17<sup>th</sup>. The analysis is taking longer than originally anticipated. Given that, we are planning on submitting the

Final Report to you on October 23<sup>rd</sup>. Do you have any issue with this revised timeline?  
Please let me know. Thanks!

**Geoffrey Westphal | EHS Manager – North America | Greif | North America**  
366 Greif Parkway | Delaware, Ohio 43015 USA | O: 1+ (740) 657 6616 | M: 1+ (614) 318 3866  
[www.greif.com](http://www.greif.com)

PACKAGING SUCCESS **TOGETHER**

CONFIDENTIALITY NOTICE: This message and its contents are confidential and are intended solely for the use of the addressee. If you are not the intended recipient, you are hereby notified that any use, dissemination, distribution, or copying of this message and its contents is strictly prohibited. In addition, please contact the sender by e-mail and delete the original message immediately. Thank you for your cooperation.

---

This email has been scanned by the Symantec Email Security.cloud service.  
For more information please visit <http://www.symanteccloud.com>

---

CONFIDENTIALITY NOTICE: This message and its contents are confidential and are intended solely for the use of the addressee. If you are not the intended recipient, you are hereby notified that any use, dissemination, distribution, or copying of this message and its contents is strictly prohibited. In addition, please contact the sender by e-mail and delete the original message immediately. Thank you for your cooperation.